



10/785145-

Cgc

## HESLIN ROTHENBERG FARLEY & MESITI P.C.

### INTELLECTUAL PROPERTY LAW

PATENTS • TRADEMARKS • COPYRIGHTS

Attorneys at Law  
5 Columbia Circle  
Albany, New York 12203  
Telephone: (518) 452-5600  
Facsimile: (518) 452-5579  
www.hrfmlaw.com

August 16, 2005

Kathy Smith Dias  
David A. Pascarella  
Victor A. Cardona  
Lee Palmateer  
John Pietrangelo\*  
Brett M. Hutton  
Stephen M. Hladik  
Edward Timmer  
Alana M. Fuierer  
John W. Boger

Of Counsel  
Martha L. Boden  
Jill M. Breedlove

Joseph L. Spiegel  
Poughkeepsie, NY

Robert E. Heslin  
Jeff Rothenberg  
Kevin P. Radigan  
Susan E. Farley  
Nicholas Mesiti  
Philip E. Hansen\*  
Blanche E. Schiller  
Wayne F. Reinke  
David P. Miranda

\* Patent Agent

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Re: Correction of Mistake in Printed Patent  
Under §1480 of the Manual of Patent  
Examining Procedures  
U.S. Patent No.: 6,925,954  
Date of Patent: August 9, 2005  
Inventor(s): Van Acker, Jr., et al.  
Our File No.: 1791.007

Certificate  
AUG 24 2005  
of Correction

Dear Sir:

Upon proofreading the sealed patent, we noticed errors made by the Patent Office.

Transmitted herewith is a proposed Certificate of Correction effecting a corrective amendment.

The patentee respectfully solicits the granting of the requested Certificate of Correction.

Respectfully submitted,

Victor A. Cardona, Esq.  
Registration No. 44,589  
Attorney for Applicants

VAC/cma  
Enclosure

AUG 25 2005

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,925,954

Page 1 of 1

APPLICATION NO. : 10/785,145

ISSUE DATE : August 9, 2005

INVENTOR(S) : Van Acker, Jr., et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**Claims:****Claim 2:**

Col. 10, line 33, delete the words "escape tower"

Col. 10, line 35 and 36, delete the words "configured" and "escape tower"

**Claim 3:**

Col. 10, line 37 and 38, delete the words "connector located at an upper end of said plurality of walls,"

MAILING ADDRESS OF SENDER (Please do not use customer number)

Victor A. Cardona, Esq.

Heslin Rothenberg Farley & Mesiti P.C.

5 Columbia Circle

Albany, New York 12203 Tel: (518) 452-5600 Fax: (518) 452-5579

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing the burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

AUG 25 2005